

# Consilex Muffa Remover

Algicidal, antibacterial eco-friendly solution with anti-mold



Solution based on quaternary ammonium and peculiar active principles for the elimination of biodeteriogenic settlements: moulds, fungi, mosses, algae, lichens, bacteria, etc. from masonry works, in full respect of ecological protocols, with particular reference to biological building interventions and the restoration of vintage buildings and monuments. Over 150,000,000 square metres reclaimed, and 30 years of history, ensure product quality and effectiveness.

**CUSTOMS CODE:** 3808 9410

**COMPONENTS:** Single-component

**APPEARANCE:** Liquid

**AVAILABLE COLORS:** Transparent

**PACKAGING AND DIMENSIONS:** Bottle 1 l - Plastic can 5 l - Plastic can 25 l

## FEATURES AND BENEFITS

Free of acids, sulphates, chloro-derivatives, thinners, poisonous or harmful substances, and substances harmful to adjacent vegetation. The effective biodegradability is 95% over a period of about 4 weeks, it becomes total subsequently. It does not result in any soiling, it does not have harsh and/or harmful effects on wall coverings, on coatings and on the surrounding vegetation. The action of Consilex Muffa Remover becomes progressively more evident over time.

## FIELDS OF APPLICATION

Removal of moulds and of biodeteriogenic manifestations in general from masonry, concrete, plaster, etc.

## ALLOWED SUPPORTS

Plasters - Concrete - Cement-based or lime-based mortars - Drywall - Plaster (gypsum) - Wood - Fiber-cement - Bricks - Tuff - Mixed walls (bricks and stones) - Brickworks - Stone walls

## MODE OF USE

Consilex Muffa Remover is ready-to-use, and easy to apply; simply vapourise it on surfaces. In 2-3 weeks, it ensures that only the physical removal of biodeteriogenic settlements, avoiding the otherwise necessary cumbersome operations. If, after proper application in terms of quantity and method, biodeteriogenic manifestations are still visible, it is recommended to repeat the operation until their complete elimination. Do not mix with chlorine-based products and do not apply chlorine-based products before or after applying Consilex Muffa Remover.

## APPLICATION METHODS





Low pressure airless nebulizer - Brush - Sprayer






## TOOL CLEANING

Water

## KEY FEATURES

-  Density: 1.0 kg/dm<sup>3</sup>
-  Nonflammable
-  Solvent-free
-  UV-resistant

-  Material 100% eco-friendly
-  Shelf-life: 12 months
-  Use wearing protective glasses

## TECHNICAL SPECIFICATIONS

Non-toxic material

## CONSUMPTION

Approximately 0,20 litres of Consilex Muffa Remover for every square metre of surface to be treated.

## STORAGE AND CONSERVATION

Protect from freezing. Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight. Inadequate storage of the product may result in a loss of rheological performance. Store the product at a temperature between +5°C and +35°C.

## PHOTO GALLERY



Produced and distributed by **AZICHEM srl**  
Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy  
Tel: +39 0376.604185 / 604365  
Fax: +39 0376 604398  
[www.azichem.com](http://www.azichem.com) - [info@azichem.com](mailto:info@azichem.com)

Update of **25-08-2020**  
Terms of sale and legal notices available at  
<https://www.azichem.com/general-sales-conditions>  
**Total pages of this document: 3**

## ADDITIONAL CONTENT



## WARNINGS AND PRECAUTIONS

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge. Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage. Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: [www.azichem.com](http://www.azichem.com). The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: [www.azichem.com](http://www.azichem.com).

It is forbidden to dispose of the product and/or packaging in the environment.

