

## Estrusori Per Cartucce

### Manual extruders for cartridge products



Professional metal extruder guns for products in cartridges of various sizes. They are robust, ergonomic, easy to use and light extruder guns, to guarantee applications in the most disparate fields of traditional and specialized construction. Available for cartridges of various sizes, both for single cartridges and for double bimix cartridges of 300cc, 400cc, 470cc, 530cc, 600cc.

**CUSTOMS CODE:** 8302 3000

**COMPONENTS:** Single-component

**APPEARANCE:** Manual gun for cartridges


**AVAILABLE COLORS:** Black


**PACKAGING AND DIMENSIONS:** Extruder gun for 400 cc cartridges 1 unit - Extruder gun for 470 cc bimix cartridges 1 unit - Extruder gun for 600 cc bimix cartridges 1 unit - Extruder gun for 533 or 600 cc cartridges 1 unit - Extruder gun for 300 cc cartridges 1 unit

### FIELDS OF APPLICATION

Extrusion of materials in single cartridge or double bimix cartridge.

### KEY FEATURES

 Unlimited shelf-life

 Use wearing protective gloves

### CONSUMPTION

Product to buy as needed.

### STORAGE AND CONSERVATION

Inadequate storage of the product may result in a loss of rheological performance. Avoid contact between the product and acid substances. Protect from humidity.



## PHOTO GALLERY



## ADDITIONAL CONTENT



### EXTRUDER GUN FOR 300 CC CARTRIDGES

to be used for the following products:

- Flexseal 300
- Protech Flex
- Proseal Fix



### EXTRUDER GUN FOR 400 CC CARTRIDGES

to be used for the following products:

- Syntech Profix



### EXTRUDER GUN FOR 470 CC BIMIX CARTRIDGES

to be used for the following products:

- Syntech Fix EP



### EXTRUDER GUN FOR 533 / 600 CC CARTRIDGES

to be used for the following products:

- Consilex Barrier Cream
- Protech Flex
- PROTECH SIGILFLEX MONO
- Syntech StopAQ



### EXTRUDER GUN FOR 600 CC BIMIX CARTRIDGES

to be used for the following products:

- Syntech Roadware



## WARNINGS AND PRECAUTIONS

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge. Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage. Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: [www.azichem.com](http://www.azichem.com). The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: [www.azichem.com](http://www.azichem.com).

It is forbidden to dispose of the product and/or packaging in the environment.

