

## QL Polisil

Impregnating agent in aqueous solution for treating concrete



A sodic impregnating agent of polysilicic acid in aqueous solution (sodium silicate) for anti-dust and protective treatments of concrete flooring and screeds. It drastically reduces the product's water permeability whilst maintaining the passage of aqueous vapour. Consequently, the resistance to acid attacks and the overall durability of the concrete work increases.

**CUSTOMS CODE:** 3824 9970

**COMPONENTS:** Single-component

**APPEARANCE:** Liquid

**AVAILABLE COLORS:** Transparent

**PACKAGING AND DIMENSIONS:** Plastic can 25 kg - Pallet tank (IBCs) 1000 kg

### FIELDS OF APPLICATION

A protective treatment for new industrial floors and concrete screeds, both grey and coloured.

### ALLOWED SUPPORTS

Concrete

### PREPARATION OF SUPPORTS

The supports must be dry, clean and dust-free.

### MODE OF USE

Apply QL Polisil by spray, roller or immersion.

### APPLICATION METHODS



Suffuse - Paint roller - Sprayer


### TOOL CLEANING

Water



## KEY FEATURES

 Nonflammable  
 Solvent-free

 Shelf-life: 12 months

## TECHNICAL SPECIFICATIONS

20 °C  
Viscosity **4±3 mPas**

pH **11.4±0.5**

20 °C  
Density **1.15±0.05 kg/l**

## CONSUMPTION

Between 0.1 and 0.3 kg of QL Polisil per square metre of surface to be treated. Consumption varies depending on the porosity of the structure.

## STORAGE AND CONSERVATION

Protect from freezing. Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight. Inadequate storage of the product may result in a loss of rheological performance. Avoid contact between the product and acid substances. Store the product at a temperature between +5°C and +35°C.

## PHOTO GALLERY



Produced and distributed by **AZICHEM srl**  
Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy  
Tel: +39 0376.604185 / 604365  
Fax: +39 0376 604398  
[www.azichem.com](http://www.azichem.com) - [info@azichem.com](mailto:info@azichem.com)

Update of **30-11-2021**  
Terms of sale and legal notices available at  
<https://www.azichem.com/general-sales-conditions>  
**Total pages of this document: 3**

## ADDITIONAL CONTENT



## WARNINGS AND PRECAUTIONS

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge. Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage. Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: [www.azichem.com](http://www.azichem.com). The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: [www.azichem.com](http://www.azichem.com).

It is forbidden to dispose of the product and/or packaging in the environment.

