

## Protech Sil Fix

Reinforcing fixative anti-dust siloxane primer, in water dispersion



Consolidating, transparent fixative primer based on siloxane resins in aqueous dispersion, specific for the preliminary treatment of plasters before the application of Protech Sil P or Protech Sil P - Therm siloxane paints, or before the application of siloxane plasters Protech Sil I or Protech Sil I - Therm, in the renovation of civil and industrial buildings and in new buildings.

**CUSTOMS CODE:** 3209 9000

**COMPONENTS:** Single-component

**APPEARANCE:** Liquid

**AVAILABLE COLORS:** Transparent / Azichem - silossanici

**PACKAGING AND DIMENSIONS:** Plastic can 5 l - Plastic can 20 l

### FIELDS OF APPLICATION

Preliminary fixative for painting and coating with protective finishes and decorative systems with pigmented siloxanes. Protech Sil Fix can be applied on old and new plaster, cement, synthetic- and lime-based, on pre-existing mineral and synthetic paints, etc.

### ALLOWED SUPPORTS

Plasters - Concrete - Cement-based or lime-based mortars - Prefabricated concrete - Drywall - Plaster (gypsum) - Fiber-cement

### PREPARATION OF SUPPORTS

The surfaces of application should be clean, free of any soiling, crumbling and non-adhering parts, or non-absorbent, dust, pre-existing paints, etc.

### MODE OF USE

Apply the product with roller, brush or airless at low pressure, at about 120 g/m<sup>2</sup>.

### APPLICATION METHODS




Low pressure airless nebulizer - Brush - Paint roller - Sprayer





## TOOL CLEANING

Water

## KEY FEATURES

-  Shelf-life: 12 months
-  Temperature of use: +5 / +35 °C
-  Use wearing protective gloves

-  Solvent-free
-  Use wearing protective glasses

## TECHNICAL SPECIFICATIONS

a 20°C  
Complete hardening at 20°C **10-12 h**

a 20°C  
Touch hardening at 20°C **4-6 h**


## CONSUMPTION

From 0.10 to 0.15 litres of Protech Sil Fix for each square metre of surface to be treated, based on the porosity of the support.

## STORAGE AND CONSERVATION

Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight. Inadequate storage of the product may result in a loss of rheological performance. Protect from humidity.

## PHOTO GALLERY



Produced and distributed by **AZICHEM srl**  
Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy  
Tel: +39 0376.604185 / 604365  
Fax: +39 0376 604398  
[www.azichem.com](http://www.azichem.com) - [info@azichem.com](mailto:info@azichem.com)

Update of **06-07-2021**  
Terms of sale and legal notices available at  
<https://www.azichem.com/general-sales-conditions>  
**Total pages of this document: 3**

## ADDITIONAL CONTENT



## WARNINGS AND PRECAUTIONS

Keep away from open flames and sources of heat; use with protective gloves and goggles.

It is always essential to carry out preliminary tests to check the appropriateness of the product, depending on specific requirements. The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge.

Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage. Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: [www.azichem.com](http://www.azichem.com). The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: [www.azichem.com](http://www.azichem.com).

It is forbidden to dispose of the product and/or packaging in the environment.

